

CSCI 8220 Parallel and Distributed Simulation

PDES Introduction The Time Warp Mechanism



Maria Hybinette, UGA

- **Optimistic Synchronization**
- **Time Warp**
 - » **Local Control Mechanism**
 - Rollback
 - Event cancellation
 - » **Global Control Mechanism**
 - Global Virtual Time
 - Fossil Collection

Maria Hybinette, UGA

Golden rule

The Synchronization Problem

Local causality constraint: Events within each logical process must be processed in time stamp order

Observation: Adherence to the local causality constraint is sufficient to ensure that the parallel simulation will produce exactly the same results as the corresponding sequential simulation*


Synchronization Algorithms

- **Conservative synchronization:** avoid violating the local causality constraint (wait until it's safe)
 - » 1st generation: null messages (Chandy/Misra/Bryant)
 - » 2nd generation (maybe in course): time stamp of next event
- **Optimistic synchronization:** allow violations of local causality to occur, but detect them at runtime and recover using a rollback mechanism
 - » Time Warp (Jefferson & Sowizral)

* provided events with the same time stamp are processed in the same order as in the sequential execution
Maria Hybinette, UGA

Time Warp Algorithm

- **Assumptions:**
 - » logical processes (LPs) exchanging time stamped events (messages)
 - » dynamic network topology, dynamic creation of LPs
 - » messages sent on each link need not be sent in time stamp order
 - » network provides reliable delivery, but need **not preserve order when received**
- **Basic idea:**
 - » process events w/o worrying about messages that will arrive later
 - » detect out of order execution, recover using rollback



process all available events (2, 4, 5, 8, 9) in time stamp order


Time Warp Algorithms

- **Many have been proposed, will cover fundamental concepts:**
 - » rollback, anti-messages, Global Virtual Time (GVT).
 - » Initially assume 'non-zero' look-ahead
- **Time Warp Structure:**
 - » **local control mechanism:** implemented within each processor, mostly independent of other processors
 - » **global control mechanism:** used to reclaim memory and used to commit operations such as I/O that cannot be rolled back: requires a distributed computation involving all processors in the system.

Maria Hybinette, UGA

Time Warp: Local Control Mechanism


Each LP: process events in time stamp order, like a sequential simulator, except:
(1) do NOT discard processed events (backs up a history) and
(2) add a rollback mechanism



- Problem:** Need to account for messages received in the LP's past.
- Approach:** Rollback and then re-compute
- Sub Problem:** Rollback changes to state variables performed by events
- Solution:** checkpoint state or use incremental state saving (state queue)
- Sub Problem:** Rollback previously sent messages
- Solution:** Anti-messages and message annihilations (output queue)


Anti-Messages

Undo message sends by 'unsending' a previously sent message



- Each **positive (regular) message** sent by an LP has a corresponding **anti-message**
 - » An **anti-message** is an identical (copy) to its positive message, except for a sign bit.
- **Rule of cancellation:** When an anti-message and its matching positive message meet in the same queue, the two annihilate each other (analogous to matter and anti-matter).
- **Mechanism:**
 - » To undo the effects of a previously sent (positive) message, the LP need only send the corresponding anti-message
 - » Message send: in addition to sending the message, leave a copy of the corresponding anti-message in a data structure in the sending LP called the output queue.

Rollback: Receiving a Straggler Message



Processing Incoming Anti-Messages

Case I: Corresponding message has not yet been processed


- » annihilate message/anti-message pair

Case II: Corresponding message has already been processed

- » rollback to time prior to processing message (secondary rollback)
- » annihilate message/anti-message pair

Case III: Corresponding message has not yet been received

- » queue anti-message
- » annihilate message/anti-message pair when message is received



Processing Incoming Anti-Messages

Case I: Corresponding message has not yet been processed


- » annihilate message/anti-message pair

Case II: Corresponding message has already been processed

- » rollback to time prior to processing message (secondary rollback)
- » annihilate message/anti-message pair

Case III: Corresponding message has not yet been received

- » queue anti-message
- » annihilate message/anti-message pair when message is received



LP Simulation Example

```

Now: current simulation time
InTheAir: number of aircraft landing or waiting to land
OnTheGround: number of landed aircraft
RunwayFree: Boolean, true if runway available

Arrival Event:
  InTheAir := InTheAir+1;
  if( RunwayFree )
    RunwayFree:=FALSE;
    Schedule Landed event(local) @ Now + R;

Landed Event:
  InTheAir := InTheAir-1;
  OnTheGround := OnTheGround + 1;
  Schedule Departure event(local) @ Now + G;
  if( InTheAir > 0 ) Schedule Landed event(local) @ Now + R;
  else RunwayFree := True;

Departure Event: (D = Delay to reach another airport)
  OnTheGround := OnTheGround - 1;
  Schedule Arrival Event (remote) @ (Now+D) @ another airport
    
```

11


Global Virtual Time and Fossil Collection

- A mechanism is needed to:
 - » reclaim memory resources (e.g., old state and events)
 - » perform irrevocable operations (e.g., I/O)
- **Observation:** A lower bound on the time stamp of any rollback that can occur in the future is needed.
- **Global Virtual Time (GVT)** is defined as the minimum time stamp of any unprocessed (or partially processed) message or anti-message in the system. GVT provides a lower bound on the time stamp of any future rollback.
 - » storage for events and state vectors older than GVT (except one state vector) can be reclaimed
 - » I/O operations with time stamp at GVT can be performed.
- **Observation:** The computation corresponding to GVT will not be rolled back, guaranteeing forward progress.

Maria Hybinette, UGA

12

Time Warp and Chandy/Misra Performance



- eight processors
- closed queuing network, hypercube topology
- high priority jobs preempt service from low priority jobs (1% high priority)
- exponential service time (poor lookahead)

Maria Hybinette, UGA

13

Summary

- **Optimistic synchronization: detect and recover from synchronization errors rather than prevent them**
- **Time Warp**
 - » Local control mechanism
 - » Rollback
 - » State saving
 - » Anti-messages
 - » Cascaded rollbacks
- **Global control mechanism**
 - » Global Virtual Time (GVT)
 - » Fossil collection to reclaim memory
 - » Commit irrevocable operations (e.g., I/O)

Maria Hybinette, UGA

14